RBR
NK1657
H26
T.C.

THE HENRY FRANCIS du PONT
WINTERTHUR MUSEUM
LIBRARIES

Chas. S. Forsyth

$40.00

1/80

CORONÆ AND PENDANTS FOR CANDLES.

				£.	s.	d.
1.	For 7 lights, in Iron, with Braſs pans and nozzles, 2ft. dia.			3	10	0
2.	„ 6 „ in Braſs, with engraved Inſcription, 2ft. 2in. dia.			25	0	0
	„ 6 „ „ ſimpler			18	0	0
3.	„ 5 „ in Iron and Braſs	1ft. 8in.	„	6	10	0
	„ 7 „ „ „	1ft 8in.	„	9	0	0
	„ 5 „ „ „ richer, with pierced tracery,	2ft.	„	10	10	0
	„ 7 „ „ „ „	2ft.	„	14	0	0
4.	„ 6 „ in Braſs	2ft.	„	18	0	0
	„ 6 „ „ ſimpler	2ft.	„	15	0	0
5.	„ 6 „ in Iron, with Braſs pans	1ft. 10in.	„	2	15	0
	„ 4 „ „ „	1ft. 10in.	„	2	5	0
6.	„ 4 „ in Braſs	1ſt. 6in.	„	5	10	0
	„ 6 „ „	2ft.	„	7	10	0

The above prices are excluſive of ſuſpending chains. The Coronæ can be arranged to work with balance weights if deſired.

The Dimenſions are given from centre to centre of outſide lights.


1
2
3
4
5
6
Scale 1 inch

CORONÆ AND PENDANTS FOR CANDLES.

				£.	s.	d.
7.	For 8 lights, in Braſs	2ft. 6in	dia.	15	0	0
8.	„ 1 „ „			2	5	0
9.	„ 1 „ „ with candle tube richly painted	8in.	„	3	5	0
	„ 1 „ „ with candle tube ſimply painted			3	0	0
	„ 1 „ „ without candle tube but with nozzle for candle	8in.	„	2	5	0
10.	„ 1 „ „ with candle tube richly painted	12in.	„	5	15	0
	„ 1 „ „ with candle tube ſimply painted	12in.	„	5	5	0
	„ 1 „ „ without candle tube, but with nozzle for candle	12in.	„	4	15	0
11.	„ 4 „ „ with ruby glaſs pans	12in.	„	5	10	0
12.	„ 6 „ „	2ft.	„	12	0	0
13.	„ 6 „ in Braſs and Iron	2ft.	„	7	0	0
	„ 8 „ „ „	3ft.	„	10	0	0
14.	„ 3 „ in Iron and Braſs	1ft. 4in.	„	2	10	0
	„ 4 „ „ „ circular band	1ft. 6in.	„	3	0	0
	„ 6 „ „ „ „	2ft.	„	5	10	0

The above prices are exclusive of ſuſpending chains. The Coronæ can be arranged to work with balance weights if required.

The dimenſions are given from centre to centre of outſide lights.


10
8
7
9
11
12
Dish
14
13


16
18
7
19
20
21
22
25
24
25
26
27
28
29
30

SANCTUARY LAMPS.

No.		Dia.	In Brass. £.	s.	d.	In Plated Metal £.	s.	d.
1	With painted band . .	14½in.	5	10	0			
„	engraved „ . .	14½in.	7	10	0			
2	. . . acroſs lights	32in.	30	0	0			
	. . ſimpler „	32in.	25	0	0			
	. . „ „	18in.	17	10	0			
3	. . . . .	17in.				25	0	0
	. . rather ſimpler	17in.	18	10	0			
4	. . . . .	11in.	6	10	0	10	10	0
	. . ſimpler . .	11in.	4	10	0	7	10	0
5	. . . . .	10in.	9	0	0	15	0	0
Counterweight Pulley and Hooks, ſmall ſize		per ſet	0	12	0	1	4	0
„	„ middle „	„	0	18	0	1	16	0
„	„ large „	„	1	8	0	2	16	0
Chain . .	ſmall „	per yard	0	1	3	0	2	6
„ . .	middle „	„	0	1	6	0	3	0
„ . .	large „	„	0	3	0	0	6	0

Red Cord, 3d. and 4d. per yard; Taſſels, 3/6 each.

A White Glaſs is included in the prices of the Lamps; Red or Blue Glaſſes can be ſupplied at an extra charge.

Special prices will be given for Lamps either in Gilt Metal or in Silver.


1
2
3
4
5
Scale 1/4"

SANCTUARY LAMPS.

No.		Dia.	In Braſs. £. s. d.	In Plated Metal £. s. d.
6	. . . .	8 inch	2 10 0	
	. . . .	10 „	3 15 0	
7	. . . .	6½ „	1 16 0	4 0 0
	. . . beaten	6½ „	3 5 0	6 0 0
	. . . .	8 „	2 2 0	5 5 0
	. . . beaten	8 „	3 15 0	7 10 0
	. . . .	10 „	3 15 0	8 10 0
	. . . beaten	10 „	6 0 0	10 0 0
8	. . . .	10 „	5 5 0	9 10 0
9	. . . ,	6½ „	1 5 0	
	. . . .	8 „	1 12 0	
10	. . . .	13 „	6 10 0	11 10 0
	. with 6 lights .	18 „	10 0 0	
11	. . . .	12 „	14 0 0	
12	Excluſive of Chain and Counterweight	17 „	10 10 0	


6
7
8
9
Plan
10
11
12
Scale 1 in

SANCTUARY LAMPS.

No.		Dia.	In Brass. £.	s.	d.	In Plated Metal £.	s.	d.
13	. . . . .	6 inch	1	1	0	3	5	0
	. . better engraved	6 „				5	0	0
14	. . . . .	6 „	5	0	0	6	10	0
	. . richer . .	6 „				14	0	0
15	. . . . .	7½ „	1	15	0			
16	. . . . .	6 „	1	5	0			
	. . ſmaller . .	4 „	0	15	0	1	4	0
17	. . . . .	14 „	18	0	0	27	10	0
	. . . . .	8 „				15	0	0
18	. . acroſs lights .	26 „	25	0	0			
	. . ſimpler . .	18 „	18	0	0			
19	. . . . .	14 „	8	8	0	16	0	0
	. . . . .	10½ „	7	0	0	12	0	0
20	Standing Lamp . .		2	5	0	3	10	0
	„ „ ſimpler .		1	0	0	1	10	0
	„ „ „ .		0	15	0	1	4	0
	„ „ „ .		0	10	0	0	18	0
21	„ „ „ .		1	10	0	3	10	0
	„ „ hexagon foot diamond pillar		2	10	0	4	15	0


13
14
15
16
17
18
19

WALL BRACKETS FOR CANDLES.

No.					PROJECTION.	£.	s.	d.
A	Conſecration Croſs in Braſs				11in. dia.	0	8	0
B	„	„	„		9in. „	0	5	6
1	Braſs Bracket, with plated reflector				4 in.	1	2	0
	Iron „		painted			0	15	0
2	Braſs „	1 Light		.	6 „	0	10	0
3	„ „	1 „		.	4½ „	0	12	0
4	„ „	1 „		.	6 „	0	8	6
5	„ „	1 „		.	6 „	0	8	6
	„ „	1 „	plain	.	6 „	0	7	6
6	Iron „	1 „	painted	.	7 „	1	4	0
7	„ „	3 „	„	.	7½ „	1	12	0
8	Braſs „	4 „		.	10 „	1	1	0
	„ „	3 „		.	10 „	0	18	6
9	„ „	4 „		.	10½ „	2	10	0
	„ „	3 „		.	10½ „	2	5	0
10	„ „	1 „		.	12 „	1	6	0
11	„ „	1 „		.	9 „	1	8	0
12	Iron „	1 „	painted	.	11 „	1	4	0
13	Braſs „	1 „		.	8 „	1	18	0
14	„ „	2 „		.	1ft. 6 „	1	7	0
	Iron „	2 „	painted	.	1ft. 6 „	1	4	0
15	Braſs „	1 „		.	10 „	2	0	0
16	„ „	1 „		.	10½ „	1	2	0
17	„ „	1 „		.	9 „	1	8	0

Glaſs Cylinders may be applied to theſe Brackets at a ſmall extra charge.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
Scale ½

ALTAR CANDLESTICKS.

Each.

		Without Lions.			With 3 Lions			With 4 Lions.		
		£.	s.	d.	£.	s.	d.	£.	s.	d.
1	Braſs 15in.	1	0	0	1	15	0	2	0	0
	16in.	1	1	0	1	16	0	2	1	0
	18in.	1	6	0	2	1	0	2	6	0
	20in.	1	15	0	2	17	6	3	5	0
	large & maſſive, 2ſt. 3in.							7	10	0
2.	Braſs 19in.	2	10	0						
	„ ſmaller 12½in.	1	15	0						
		Plain.			Frilled.			Crested.		
3.	„ 4½in.	0	2	6	0	3	0	0	3	6
	6in.	0	3	0	0	3	6	0	4	0
	6½in	0	3	6	0	4	0	0	4	6
	7½in.	0	5	0	0	5	9	0	6	6
	8in.	0	6	0	0	6	9	0	7	6
	10in.	0	7	0	0	8	0	0	9	0
	12in.	0	9	0	0	10	0	0	11	0
	13in.	0	12	6	0	13	6	0	15	0
	15½in.	0	17	6	0	19	0	1	2	0
4.	„ 20in.	4	4	0						
		Twisted Stem.			Cable Stem.					
5.	„ 17in.	1	7	0	1	7	0			
	„ larger 21in.	2	2	0	2	2	0			
	„ with plain ſtem, and eyes in knop 17in	1	6	0						
	„ with plain stem 17in.	1	3	0						
6.	„ 25in.	4	10	0						
7.	„ 21in.	5	10	0						
	ſmaller 15½in.	3	5	0						
		Eyes in knop.			Crystals in knop.					
8.	„ diamond ſtem 8in.	0	13	0	0	16	0			
	10in.	0	15	0	0	18	6			
	12in.	0	18	0	1	2	0			

[See over.

ALTAR CANDLESTICKS CONTINUED.

		£.	s.	d	£.	s.	d.	£.	s.	d.
9.	„ 22½in.	2	5	0						
	simpler 22½in.	2	0	0						
	with beaten stem 24in.	2	15	0						
10.	Brass 13in.	1	12	0						
	„ with plain stem & beaten pan 7¼in.	1	0	0						
	„ „ „ 9¼in.	1	5	0						
	„ „ „ 11in.	1	10	0						
11.	„ 12in.	2	5	0						
		Hollow Twist.			Plain Stem.			Cable Stem.		
12.	„ 8in.	0	12	0	0	10	6	0	12	0
	10in.	0	14	0	0	12	6	0	14	0
	12in.	0	17	0	0	15	0	0	17	0
	14in.	1	2	0	0	19	0	1	2	0
	16in.	1	10	0	1	6	0	1	10	0
13.	Brass 15½in.	3	10	0						
14.	„ 7in.	0	16	0						
	„ without eyes, enriched mouldings 8in.	0	16	0						
	„ „ „ 7in.	0	14	0						
	„ „ plainer 5in.	0	7	6						
Brass, double Sockets A according to size		0	6	0	0	8	0	0	10	0
„	„ A simpler	0	4	0	0	5	0	0	6	0
„	„ B	0	5	0	0	6	0	0	8	0
„	„ B simpler	0	3	0	0	4	0	0	5	0

A number of other Designs can be supplied on application.

Imitation Candles, according to size and decoration, from 15s. upwards.

Painted Shields, in Iron, from 3s6d. Brass, from 5s.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

ALTAR CANDLESTICKS.

No.				£	s.	d.
15	Brafs . . .	2ft 8in. high, each		6	10	0
	„ . . .	3ft. 8in. „ „		12	0	0
16	„ . .	2ft. 2in. „ „		3	10	0
17	„ . . .	2ft. 4in. „ „		10	0	0
18	„ . . .	3ft. „ „		6	10	0
19	„ engraved centre .	1ft. 9in. „ „		4	10	0
	„ enamelled „ .	„ „ „		6	0	0
20	„ . . .	2ft. 6in. „ „		3	15	0
21	„ . . .	3ft. 6in. „ „		16	16	0
22	„ . . .	2ft. 4½in. „ „		10	10	0
	„ richer .	„ „ „		15	0	0
23	„ . . .	1ft. 6in. „ „		4	4	0


15
16
C
17
18
21
20
22
19
23
Plan.
Scale 1½ inch

Candle Branches and Candelabra, in Brass.

	£.	s.	d.
1. Branch	0	10	0
„ smaller 3 lights	0	7	0
2. „ „ plain pans	0	4	0
„ „ frilled „	0	5	0
„ „ crested „	0	6	0
„ larger plain „	0	6	6
„ „ frilled „	0	7	6
„ „ crested „	0	9	0
„ smaller 2 lights	0	3	6
„ if for 4 lights, grouped	0	7	0
„ „ 5 „	0	9	0
„ „ 7 „	0	14	0
3. „	0	12	6
„ larger and better	0	18	0
„ „ „	1	4	0
4. Candelabrum, 2ft. high, 6 lights	5	0	0
5. „ 1ft 9in. 4 „	5	0	0
6. Branch 4 „	1	5	0
„ smaller 4 „	1	0	0
„ „ 4 „	0	18	0
7. „	2	10	0
Stand to match above	3	10	0
„ „ „ better	4	10	0
8. 10 lights	4	5	0
Stand for above	1	5	0
Branch 1st and 2nd tier, 6 lights	2	5	0
„ 1st tier only 3 „	0	15	0
Stand for ditto	0	18	0
Branch, richer, 10 lights, with Stand to match	10	0	0
„ „ 13 lights, with Stand to match, on Lions	15	0	0

[See over.

Candle Branches and Candelabra continued.

			£.	s.	d.
9	Branch, gradation of	6 lights, 3 tiers	1	15	0
	„ „	4 „ 2 „	0	15	0
	„ cluſter of	7 „	1	18	0
10.	„ gradation of	8 „ 3 „	2	12	0
	„ „	8 „ quite plain	1	2	0
	„ „	6 „ 3 tiers	2	0	0
	„ „	6 „ quite plain	0	17	6
11.	„	7 „	1	5	0
	„ larger	7 „	1	10	0
	„ „ and better	9 „	1	15	0
12.	„	5 „	1	1	0
	„	7 „	1	7	0
	„ ſmaller for tapers	5 „	0	10	0
13.	„	5 „	1	10	0
	„	3 „	0	18	6
	„ ſmaller	3 „	0	10	0

A variety of Deſigns for Stands to carry the above Branches, and alſo for Candelabra, may be had upon application.


1
2
3
4
5
6
7
8
9
10
11
12
13
Scale 1½

CANDLE STANDARDS AND BENCH END LIGHTS.

		Height, including Base or Pole, to top light,	In Brass. £.	s.	d.	In Iron and Brass. £.	s.	d.
1. Candle Standard,	5 lights	6ft.	6	6	0			
2. „ „	10 „	7ft.	12	0	0	10	0	0
3 „ „	3 „	5ft. 6in.	5	10	0			
„ „	5 „	5ft. 6in.	8	10	0			
4. Bench End Light	3 „	5ft 6in.	0	18	6	0	15	6
5. „ „	3 „	5ft. 10in.	2	12	0	1	16	0
If made to fix on Choir Stalls	3 „	2ft. 9in.	3	0	0			
6. Bench End Light	3 „	5ft. 10in.	2	12	0	1	16	0
If made to fix on Choir Stalls	3 „	2ft. 9in.	3	0	0			
7. Bench End Light	4 „	5ft. 2in.	1	3	0			
8. Candle Standard	7 „	6ft.	8	0	0	7	0	0
9. Bench End Light	4 „	5ft. 3in.	0	17	6			
10. Candle Standard	5 „	5ft. 6in.	4	10	0			
If made to fix on Choir Stalls	5 „	3ft.	5	0	0			

Theſe Eſtimates are calculated for the upper part of Standards only. For Prices and Patterns of Baſes ſee Sheet of Special Deſigns.

The Eſtimates for the Bench End Lights are calculated to include Oak Poles and Clips, as indicated in Deſign No. 9.

1
2
3
4
5
6
7
8
9
10
Scale 1½

PENDANTS, BRACKETS, &c.

TO CARRY OIL LAMPS.

				Wrought Iron, painted in colours. £. s. d.	Brass. £. s. d.
1.	To carry 2	Lamps,	18in. pro.	4 0 0	
	„ 1	„	„	3 5 0	
	„ 2	„	2ft. 6in. pro.	5 10 0	
	„ 1	„	„	4 10 0	
2.	„ 5	„	3ft 3in. dia	7 10 0	
3.	„ 1	„	6ft. high	2 0 0	2 15 0
	„ 1	„	3ft. „	1 16 0	2 5 0
4.	„ 1	„		2 5 0	3 0 0
5.	„ 3	„	1ft. 10in. dia.	3 10 0	
6.	„ 1	„	1ft. 4in. pro.	1 18 0	2 5 0
7.	„ 4	„	1ft. 9in. dia.		8 10 0

These prices are exclusive of suspending Lamps or Chains. The cost of the former, to burn paraffin oil, including glasses, will be from 5s. 6d. to 10s. 6d. each, according to size, but other Lamps can be supplied if desired.


Plan
1
2
3
4
Plan
5
Plan
6
Plan
7
Plan
Scale 1inch

GAS BRACKETS.

		IN BRASS.			IN IRON AND BRASS.		
		£.	s.	d.	£.	s.	d.
1.	For 5 lights 1 ft. 6in. pro to centre light	3	15	0			
2.	„ 3 „ 1 ft. 6in. „	1	15	0	1	10	0
3.	„ 4 „ 1 ft. 4in. „	2	15	0			
4.	„ 1 „ 9in. „	0	10	6	0	9	6
5.	„ 1 „ 1 ft. 3in. „	4	15	0	3	15	0
	1 „ 1 ft. 3in. „ simpler	3	5	0			
6.	„ 1 „ 1 ft. „	0	11	0	0	10	0
7.	„ 1 „ 6in. „	0	11	0	0	10	0
8.	„ 1 „ 1 ft. 6in. „	7	10	0	6	10	0
9.	„ 3 burners 2 ft. „ In Iron painted				7	10	0
	„ 3 „ 2 ft. „ ditto plainer, with sq. lamp				5	0	0
10.	„ 5 lights 1 ft. 2in. „	2	12	0	2	5	0
11.	„ 10 „ 1 ft. 3in. „	5	10	0			
12.	„ 17 „ 2ft. „	6	0	0	4	15	0
13.	„ 1 „ 1 ft. 4in. „	0	18	0			
	„ 1 „ 1 ft. 4in. „ to revolve				1	0	0
14.	„ 7 „ 1 ft. 9in.				4	12	0
15	„ 1 „ 7½in.	0	12	6			
	„ 1 „ 7½in. „ to revolve	0	14	0			

These prices do not include Globes or Globe Holders. Many of these Brackets can be arranged to carry Globes if desired.

No 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

STANDARDS FOR GAS.

				IN BRASS.			IN IRON AND BRASS.		
				£.	s.	d.	£.	s.	d.
1.	For 25 lights,	9ft. 6in.	to top light	25	0	0			
	" 17 „	8ft. 6in.	„	18	0	0			
2.	„ 11 „	8ft. 6in.	„	12	10	0			
3.	„ 13 „	8ft. 6in.	„	10	10	0	8	10	0
4.	„ 3 „	7ft.	„	3	10	0	2	15	0
5.	„ 5 „	7ft.	„	6	10	0	4	15	0
6.	„ 4 „	4ft.	,	2	8	0	2	0	0
7.	„ 5 „	3ft. 9in.	„	2	0	0			
8.	„ 7 „	7ft. 6in.	„				6	10	0
9.	„ 1 „	1ft. 6in.	„	3	10	0			
	„ 1 „	1ft. 6in.	„	2	15	0	fimpler		
10.	„ 1 „	1ft. 6in.	„	2	0	0			

Theſe Eſtimates are calculated for the Standards to terminate as Nos. 6 and 7, ſo that they can be fixed on or againſt benches; they may alſo be uſed with Baſes, for which ſee Sheet of Special Deſigns.

Globes and Chimneys are not included in theſe prices.

1
2
3
4
5
6
7
8
9
10

STANDARDS FOR GAS.

				IN BRASS.			IN IRON AND BRASS.		
				£.	s.	d.	£.	s.	d.
11.	For 10 lights	7ft.	to top light	7	0	0	7	0	0
12.	„ 11 „	9ft.	„	25	0	0	18	10	0
13.	„ 17 „	7ft. 6in.	„	12	10	0	9	10	0
14.	„ 4 „	6ft. 6in.	„	2	15	0	2	0	0
	„ 4 „	3ft 6in.	„	2	5	0			
15.	„ 3 „	7ft.	„	3	10	0	2	15	0
16.	„ 3 „	7ft.	„	4	10	0	3	15	0
	„ 4 „	8ft.	„	5	10	0	4	15	0
17.	„ 25 „	8ft.	„	11	10	0	9	10	0
18.	„ 5 „	6ft. 6in.	„	3	0	0	2	10	0
	„ 5 „	4ft.	„	2	12	0	2	6	0
19.	„ 15 „	9ft.	„	10	0	0	6	10	0
	„ 25 „	9ft.	(with 4 arms)	13	10	0	8	15	0
20.	„ 5 „	6ft. 6in.	to top light	3	5	0	2	15	0
	„ 5 „	4ft.	„	2	17	0	2	11	0
21.	„ 25 „	8ft.	„	11	10	0	9	10	0

These Eſtimates are calculated for the Standards to terminate as Nos. 6 and 7, ſo that they can be fixed on or againſt benches; they may alſo be uſed with Baſes, for which ſee Sheet of Special Deſigns.

Globes and Chimneys are not included in theſe prices.

JOHN HARDMAN & CO, NEW HALL HILL, BIRMINGHAM.

LONDON OFFICES, 13 KING WILLIAM ST, STRAND. W.C.

STANDARDS FOR GAS.

		IN BRASS.			IN IRON AND BRASS.		
		£.	s.	d.	£.	s.	d.
23.	For 3 lights, 7ft 6in. to top light	4	10	0	3	10	0
24.	„ 20 „ 9ft. 6in. „ .	20	0	0	17	0	0
	(The above prices do not include the baſe.)						
25.	„ 9 „ 8ft „ .				11	10	0
	„ 15 „ 8ft. (with 4 arms) .				15	10	0
26.	„ 1 „ 3ft to top light .	1	4	0	1	1	0
27.	„ 7 „ 8ft. 6in. „ .	17	10	0			
28.	„ 12 „ 8ft. 3in. „ .	12	10	0	10	10	0
29.	„ 4 „ 2ft. 9in. „ .	1	10	0			
30.	„ 3 „ 6ft. 6in. „ .	3	10	0			
	„ 3 „ 3ft. 6in. „ .	3	0	0			
31.	„ 3 „ 3ft. 6in. „ .	4	0	0			
	„ 3 „ 6ft. 6in. „ .	4	10	0			

Theſe Eſtimates are calculated for the Standards to terminate as Nos. 6 and 7, ſo that they can be fixed on or againſt benches; they may alſo be uſed with Baſes, for which ſee Sheet of Special Deſigns.

Globes and Chimneys are not included in theſe prices.

JOHN HARDMAN & CO, NEW HALL HILL, BIRMINGHAM.

LONDON OFFICES, 13 KING WILLIAM ST, STRAND. W.C.

BASES FOR GAS AND CANDLE STANDARDS.

No.			In Brass. £.	s.	d.		In Iron, painted & gilt. £.	s.	d.
1	...	... 3 ftrides	8	0	0	...	4	10	0
	...	... 4 „	10	0	0	...	5	10	0
	...	Simpler 3 „	6	0	0	...	3	0	0
	...	... 4 „	7	10	0	...	3	10	0
2	...	... ...	6	0	0				
	...	(Caft Iron)				...	1	10	0
3	...	„ „ 3 ftrides ...				...	5	10	0
	...	„ „ 4 „ ...				...	7	0	0
	...	„ fmaller 3 „ ...				...	4	0	0
	...	„ „ 4 „ ...				...	5	0	0
4	...	... ...	8	0	0				
	...	(Caft Iron) ...				...	2	0	0
5	...	... 3 ftrides ...	6	0	0	...	3	0	0
		4 „ ...	7	10	0	...	3	15	0
6	...	... ...	22	10	0	...	10	10	0
7	...	... 3 ftrides ...	4	5	0	...	2	10	0
	...	... 4 „ ...	5	10	0	...	2	15	0
8	...	... 3 „ ...				...	4	0	0
	...	... 4 „ ...				...	4	15	0
	...	Simpler 3 „ ...				...	3	0	0
	...	„ 4 „ ...				...	3	10	0
9	...	.. 3 „ ...	7	0	0	...	3	10	0
	...	... 4 „ ...	8	10	0	...	4	0	0
10	...	... ...	25	0	0				


№1
Plan
2
3
4
Plan
5
6
7
Plan
8
9
Plan
10
Plan
Scale 1inch

GAS CORONÆ AND PENDANTS.

No.				£.	s.	d.
1	For 4 Lights in Braſs	.	2ft. 2in. dia.	3	10	0
	„ 4 „ „	larger .	2ft. 10in. „	4	10	0
2	„ 20 „ „	painted with Inſcription,	3ft. 3in. dia.	16	10	0
	„ 20 „ in Iron and Braſs	„	„	13	10	0
3	„ 18 „ „ „		2ft. 7in. dia.	8	10	0
4	„ 18 „ „ „		2ft. 6in. „	10	10	0
5	„ 18 „ in Braſs		2ft. 9in. „	12	0	0
	„ 18 „ in Iron and Braſs		„ „	10	0	0
	„ 24 „ in Braſs		3ft. 6in. „	14	0	0
	„ 24 „ in Iron and Braſs		„ „	12	0	0

The dimenſions given are meaſured from extreme to extreme of outſide Lights.

The prices do not include Suſpenſion Rods, which will be charged extra, according to the length required.


1
2
3
4
5

GAS CORONÆ AND PENDANTS.

No.				£.	s.	d.
6	For 12 Lights in Iron and Braſs,	2ft. 2in. dia.		3	15	0
	„ 20 „ „	„ „		4	0	0
	„ 12 „ „	3ft. „		6	0	0
	„ 20 „ in Iron and Braſs	„ „		6	6	0
7	„ 24 „ in Braſs	2ft. 6in. „		16	10	0
8	„ 6 „ „	2ft. 2in. „		13	10	0
	„ 6 „ in Iron and Braſs	„ „		10	0	0
	„ 18 „ in Braſs	3ft. „		20	0	0
	„ 18 „ in Iron and Braſs	„ „		16	10	0
9	„ 24 „ in Iron painted & parts gilt	4ft. 6in. „		15	10	0
	„ 24 „ „ „	3ft. 6in. „		10	0	0

The dimenſions given are meaſured from extreme to extreme of outſide Lights.

The prices do not include Suſpenſion Rods, which will be charged extra, according to the length required.


Plan.
6
7
8
9
Scale 1 inch

GAS CORONÆ AND PENDANTS.

No.		£.	s.	d.	If with Water Slide. £.	s.	d.
10.	For 2 Lights in Braſs 1ft. 6in dia.	2	15	0			
11.	„ 4 „ „ 1ft. 7in. „	5	10	0			
12.	„ 4 „ „ 2ft. 6in. „	10	10	0	14	10	0
	„ 3 „ „ „ „	8	10	0	11	10	0
13.	„ 6 „ „ „ „	8	0	0	10	10	0
	„ 5 „ „ „ „	7	5	0	9	5	0
	„ 4 „ „ „ „	6	10	0	8	0	0
	„ 3 „ „ „ „	5	5	0	6	15	0
	„ 2 „ „ „ „	4	10	0	5	10	0
14.	„ 1 „ „ to hang 5ft.	2	0	0	2	15	0
15.	Billiard Pendant for 6 Lights, with Burners and Opal Shades, complete . 7ft. 9in.	35	0	0			
	Ditto ditto ſimpler „	30	0	0			

The dimenſions given are meaſured from extreme to extreme of outſide Lights.

The prices include Suſpenſion Rods of a ſufficient length for an ordinary room.

Glaſſes, except when named, will be charged extra.

The Pendants, &c. to the above deſigns can be made in Bronzed Metal if required.


10
11
12
13
14
15
Scale 1 inch
Plan.
Scale 3/4 inch.

GAS CORONÆ AND PENDANTS.

No.					DIA.	£.	s.	d.	If with Water Slide. £.	s.	d
16	For 2 Lights,		in Braſs		2ft.	3	5	0	4	10	0
	„ 4	„	„		2ft.	5	10	0	8	0	0
17	„ 6	„	„		2ft.3in.	27	10	0			
	„ 5	„	„	ſimpler		20	0	0			
18	„ 3	„	„		1ft.9in.	6	10	0	8	10	0
19	„ 3	„	„		1ſt.2in.	4	10	0	5	10	0
20	„ 1	„	„	including Globe		5	0	0			
	„ 1	„	„	„ „ „ ſimpler		4	0	0			
21	„ 4	„	„	with painted band & ſhields	2ft.6in.	20	0	0	24	0	0
	„ 4	„	„	with engraved ditto	2ft.6in.	24	0	0	28	0	0
	„ 4	„	„	plainer	2ft.6in.	16	0	0	20	0	0
22	„ 4	„	„		1ft.4in.	3	5	0	4	5	0
23	„ 1	„	„	including Globe		3	15	0			

The dimenſions given are meaſured from extreme to extreme of outſide Lights.

The prices include Suſpenſion Rods, of a ſufficient length for an ordinary room.

Glaſſes, except when named, will be charged extra.

The Pendants, &c. to the above deſigns can be made in Bronzed Metal, if deſired.


16
17
18
19
20
21
22
23
Plan
SCALE 1 inch

GAS CORONÆ AND PENDANTS.

No.				£.	s.	d.	If with Water Slide. £.	s.	d.
24	For 4 Lights, in wrought Iron painted and parts gilt, 2ft. 2in. dia.			11	10	0			
	„ 3	„	„ „ „ „	9	10	0			
	„ 2	„	„ „ „ „	7	15	0			
25	„ 3	„	in Braſs 3ft. dia.	15	10	0	18	10	0
	„ 3	„	„ ſimpler „	10	10	0	13	10	0
	„ 4	„	„ „	18	10	0	22	10	0
	„ 4	„	„ ſimpler „	15	0	0	19	0	0
26	„ 1	„	„ glaſſes included	4	5	0			
	„ 1	„	„ „ plainer	2	10	0			
27	„ 1	„	„ including glaſs	5	10	0			
	„ 1	in Iron painted & parts gilt	do.	4	15	0			
28	„ 3	„	in Braſs 2ft.6in.	10	10	0	13	10	0
	„ 4	„	„ „ „	12	10	0	14	10	0
29	„ 2	„	„ „ 2ft.	3	3	0			
	„ 2	„	in Iron and Braſs „	2	2	0			
	„ 3	„	in Braſs „	4	4	0			
	„ 3	„	in Iron and Braſs „	3	3	0			
	„ 4	„	in Braſs „	5	10	0			
	„ 4	„	in Iron and Braſs „	4	4	0			
30	„ 1	„	in Braſs to hang 5ft.	2	0	0	2	15	0
31	„ 2	„	in Braſs 2ft. 6in.	4	0	0	5	10	0
	„ 2	„	„ plainer „	3	10	0	5	0	0
	„ 3	„	„ „	5	10	0	7	15	0
	„ 4	„	„ „	7	0	0	10	0	0
	„ 4	„	„ plainer „	5	10	0	8	10	0
	„ 2	„	„ 2ft.	3	0	0	4	10	0

The dimenſions given are meaſured from extreme to extreme of outſide lights.

The prices include ſuſpenſion rods of a ſufficient length for an ordinary room.

Glaſses, except when named, will be charged extra.

The Pendants, &c. to the above designs can be made in Bronzed Metal if required.


24
25
26
27
Plan
29
30
28
31
Scale 1 inch

PROCESSIONAL, ALTAR, AND ORATORY CROSSES.

		Height.	£.	s.	d.
1.	Altar Croſs, in Braſs with enamelled centre	2ft. 4in.	9	0	0
2.	Proceſſional Croſs in Braſs, painted	7ft. 6in.	12	0	0
	„ „ „ with centre, ends, and eyes in knop engraved	„	15	0	0
	„ „ „ enamelled	„	22	10	0
3.	Altar Croſs in Braſs, painted, with figure	2ft. 7in.	6	15	0
	„ „ without figure	„	5	10	0
	„ engraved, with figure	„	8	15	0
	„ without figure	„	7	10	0
4.	Proceſſional Croſs in Braſs, painted	6ft. 6in.	4	10	0
5.	„ Oak Croſs and pole with braſs knop	6ft. 6in.	4	15	0
	„ „ with figure	„	5	10	0
	„ in Braſs with wood pole	„	6	15	0
	„ „ with figure	„	7	10	0
6.	Altar Croſs in Braſs, set with ſtones and painted	2ft. 1in.	6	0	0
	„ „ without figure	„	5	0	0
	„ „ with ends and centre enamelled	„	9	0	0
	„ „ without figure	„	8	0	0
	If without Lions 20/ leſs in each caſe.				
7.	Ebony or Oak Croſs and foot, with Braſs ſtem and mounts	1ft. 7in.	6	10	0
	„ „ with figure	„	7	10	0
	„ „ with plated ſtem and mounts	„	9	10	0
	„ „ „ Ivory figure	„	12	10	0
8.	Altar Croſs in Braſs, set with ſtones	1ft. 9in.	4	10	0
	„ „ with figure	„	5	5	0
9.	„ „ with ſtones on ends	2ft.	6	10	0
	„ „ no figure	„	5	15	0
	„ „ With enamel on centre, no figure	„	7	15	0
	„ plated, „ and figure	„	10	10	0
	„ gilt, „ „	„	15	0	0


1
2
3
4
5
6
7
8
9
Scale 1½ ins

PROCESSIONAL, ALTAR, & ORATORY CROSSES.

No.		Height.	£.	s.	d.
10	Proceſſional Croſs in Braſs, ſet with ſtones, painted,	7ft.6in.	14	10	0
	„ „ „ engraved	„	17	10	0
	„ „ „ enamelled	„	50	0	0
11	Altar or Oratory Croſs, in Braſs	1ft.5in.	0	15	0
	„ „ „ with figure	„	1	2	0
	„ „ „	1ft.11in.	1	10	0
	„ „ „ with figure	„	2	5	0
	„ „ „	1ft.	0	9	6
	„ „ „ with figure	„	0	14	6
	This pattern is made as a Proceſſional Croſs	6ft.6in.	2	0	0
	„ „ „ with figure	„	2	10	0
	„ „ „ painted	„	3	0	0
12	Proceſſional Croſs, in Braſs, painted	7ft.	7	10	0
	„ „ „ with figure	„	8	10	0
	„ „ „ with engraved centre & ends	„	10	0	0
	„ „ „ with figure	„	11	0	0
	„ „ „ with enamelled centre & ends	„	20	0	0
	„ „ „ with figure	„	21	0	0
13	Altar or Oratory Croſs, in Braſs	1ft.3in.	1	4	0
	„ „ „ with figure	„	1	11	0
	„ „ „ larger	1ft 6in.	1	12	0
	„ „ „ „ with figure	„	2	2	0
	„ „ „	1ft.9in.	2	0	0
	„ „ „ with figure	„	2	10	0
	„ „ „	1ft.	0	18	0
	„ „ „ with figure	„	1	3	0
	„ „ „	9in.	0	12	0
	„ „ „ with figure	„	0	17	0
14	Proceſſional Croſs in Braſs, ſet with ſtones	7ft.	7	10	0
	„ „ „ with figure	„	8	10	0
	„ „ „ ſmaller in ſeveral deſigns, with figure	6ft.6in.	80/ & 90/		

No.		Height.	£.	s.	d.
15	Altar Croſs in Braſs, painted, with ſtones on baſe	2ft.7in.	8	10	0
	„ „ „ with figure	„	10	0	0
	„ „ „ engraved centre and ends	„	11	0	0
	„ „ „ with figure	„	12	10	0
	„ „ „ enamelled centre, ends, and eyes in knop	„	21	0	0
	„ „ „ with figure	„	22	10	0
16	Altar or Oratory Croſs in Braſs, with fleur-de-lys or trefoil ends	1ft.6in.	1	18	0
	„ „ „ with figure	„	2	10	0
	„ „ „	1ft.3in.	1	8	0
	„ „ „ with figure	„	1	15	0
	„ „ „	1ft.	1	0	0
	„ „ „ with figure	„	1	5	0
17	Altar Croſs in Braſs with ſtones on knop painted	2ft.8in.	8	10	0
	„ „ „ with figure	„	10	0	0
	„ „ „ engraved centre and ends	„	10	10	0
	„ „ „ „ with figure	„	12	0	0
A.	Verger's Mace in Brass	6ft.6in.	6	10	0
	„ „	3ft.6in.	5	10	0
	„ „ plainer, with wood pole,	6ft.6in.	4	15	0
	„ „ „ „	3ft.6in.	4	10	0
B.	„ „	6ft.6in.	6	10	0
	„ „	3ft.6in.	5	10	0
	„ „ plainer, with wood pole	6ft.6in.	3	15	0
	„ „ „ „	3ft.6in.	3	10	0
	„ „ with plain orb and croſs, wood pole	„	2	10	0


10
11
12
13
14
A
B
15
16
17
Scale 1½ ins

	CHALICE SPOONS	In Silver. £. s. d.
17.	5in. long, gilt inside bowl . . .	1 15 0
18.	4in. „ „ . .	1 5 0

A Paten to each Chalice, if simply engraved as Nos. 13 and 14, and made of either sweep or step form, is included in the cost given. If richly engraved as Nos. 15 and 16, it will be charged from 10s. to 20s. extra.

The price of each Chalice given above, includes the gilding of the inside of the cup, and one side of the paten only, unless otherwise described.

Cases made in Oak or Morocco to hold the Chalices, (and also Flagons if desired,) will be supplied if ordered.

Designs and Estimates for Chalices of a richer character, set with jewels and enamels, will be sent on application.

AUGUST, 1875.

CHALICES AND PATENS.

		Height in Inches.	With plated metal stem and foot. £.	s.	d.	In Silver. £.	s.	d.
1	. . . . .	7¾				31	10	0
„	Wholly or parcel gilt . .	„				37	10	0
„	Enriched with niello . .	„				48	0	0
2	. . . . .	8				25	0	0
„	Wholly or parcel gilt . .	„				30	0	0
3	. . . . .	9				32	0	0
„	In various deſigns, gilt, with enamel on foot . .	„				38	0	0
„	If enriched with 12 enamels on knop and foot . .	„				50	0	0
4	. . . . .	7½	13	10	0	18	10	0
„	Gilt all over . . .	„				22	10	0
5	. . . . .	8	15	10	0	21	10	0
„	Gilt all over . . .	„				25	0	0
6	In 3 deſigns varied, wholly or parcel gilt . . .	6⅝				24	0	0
7	. . . . .	7¼	6	10	0	9	10	0
„	. . . . better	„	7	10	0	10	10	0
„	. . . . .	8¼	8	10	0	11	10	0
„	. . . . better	„	10	0	0	13	0	0
8	. . . . .	7½				12	10	0
„	With gilt and enamelled eyes on knop and croſs on foot	„				14	10	0
„	„ „ wholly or parcel gilt	„				17	10	0
„	. . . . .	6¾				9	10	0
„	Wholly or parcel gilt . .	„				11	10	0
„	. . . . .	5¾				7	10	0
„	Wholly or parcel gilt . .	„				9	10	0
9	. . . . .	8				33	0	0
„	Wholly or parcel gilt . .	„				40	0	0
10	Enriched with neillo . .	6¾				45	0	0
„	Engraved	„				35	0	0
11	With cryſtal knop, set with ſtones and richly engraved	7				70	0	0
12	. . . . .	6½	18	10	0	26	0	0
„	Wholly or parcel gilt . .	„				30	0	0


13
3
14
2
4
1
5
15
16
6
7
17
18
9
10
11
8
12

FLAGONS.

No.		Height in Inches.	Metal Mounts. £.	s.	d.	Silver Mounts. £.	s.	d.
1	All Silver, with 2 enamels on body	10½				25	0	0
	„ „ „	12				30	0	0
2	Glaſs Bottle ... ... gilt	9½	7	10	0	18	0	0
	„ „ ... ... plated	9½	6	0	0	16	0	0
	„ „ ... ... gilt	13	10	0	0	24	0	0
	„ „ ... ... plated	13	8	0	0	21	0	0
3	„ „ ... ... plated	9	5	10	0	16	0	0
	„ „ ... ... gilt	„	7	0	0	18	0	0
	„ „ plainer, Braſs mounts	10	2	10	0			
	„ „ „ „ plated	10	3	15	0			
4	All Silver	10½				30	0	0
	„	12				35	0	0
5	Ruby bottle ... ... gilt	12½	22	10	0	40	0	0
6	Glaſs bottle, band & cork plated		2	0	0			
	„ „ „ better		2	10	0			
7	All Silver	12				30	0	0
	„ ſimpler	„				25	0	0
8	... ... gilt	„	12	10	0			
	... ... plated	„	9	10	0			
9	All Silver	9				30	0	0
10	„	10½				21	0	0
	„	12½				26	10	0

The Bottles for which the prices are quoted are intended to be of white glaſs. Ruby Bottles will be charged from 5/ to 7/6 extra according to ſize.


1
2
3
4
5
6
7
8
9
10

ALMS BASINS AND BOXES.

No.		In. dia.		£.	s.	d.
1	Alms Baſin,	12	beaten centre, Engraved Inſcription	3	0	0
	„ „	11	„ „ „	2	15	0
2	„ „	12	„ „ „	3	10	0
	„ „	12	„ better engraved	4	0	0
	„ „	13½	„ Engraved Inſcription	4	10	0
3	„ „	16	richly beaten all over	8	8	0
4	„ „	11¼	plain . . .	0	18	0
	„ „	11¼	Engraved in centre only	1	2	0
5	„ „	13	Beaten centre, engraved Inſcription, & ſet with ſtones	4	4	0
	„ „	13	Beaten centre, engraved Inſcription . .	3	12	0
6	„ „	14	Beaten and ſet with ſtones .	7	7	0
	„ „	14	with Ornament inſtead of Inſcription , .	6	6	0

		In. dia.	Plain. £.	s.	d.	Engraved in Centre only. £.	s.	d.	Engraved in Centre & Inscription on Rim £.	s.	d.
7	„ „	8½	0	9	0	0	12	0	1	5	0
	„ „	10	0	12	6	0	16	6	2	0	0
	„ „	12	0	15	6	1	0	0	2	10	0
	„ „	11				1	10	0			

Any of theſe Alms Baſins can be made in Plated or Gilt Metal if required, for which ſpecial prices will be given.

8	Alms Box in Oak, with Brass Fittings . .								5	0	0
	„ „	„	„	Iron	„				3	10	0
	„ „	„	„	„	„ ſimpler . .				2	10	0
	„ „	„	„	„	„ „ . .				1	10	0
9	„ „	„	„	„	„ . . .				3	15	0

1


3

2

4

5

6

8

7

9

Scale 2 inch

FONT JUGS, VATS, &c.

No.		HEIGHT	£.	s.	d.
1	Font Jug in Braſs	1ft. 5in.	8	10	0
	„ „ not engraved . .	1ft. 5in.	6	10	0
2	„ „	1ft. 5in.	6	10	0
	„ „ not engraved . .	1ft 5in.	5	0	0
	Font Jugs can be made in Zinc, if required, at lower prices.				
3	Lavatory in Zinc painted, with Braſs tap,	17in. by 7in.	1	10	0
	„ „ „ „	21in. „ 10in.	2	5	0
4	Holy Water Vat in Braſs . .	6¾in. dia.	0	16	0
	„ „ Plated Metal	6¾in. „	2	5	0
	„ „ Braſs . .	8in. „	1	5	0
	„ „ „ . .	10in. „	1	16	0
5	„ „ „ engraved .	8½in. „	8	0	0
	„ „ „ ſimpler .	8½in. „	6	10	0
	„ „ „ „ .	8½in. „	3	15	0
6	„ „ „ . .	8in. „	1	13	0
7	„ „ „ . .	7½in. „	2	10	0

		Painted in 2 Colours.			Painted in 3 Colours.			Painted in Colour & Gold		
8	„ Stoup in Zinc, with glaſs lining,	0	5	0	0	6	0	0	7	6
	„ „ larger bowl	0	6	8	0	8	0	0	10	6
9	„ „ in Braſs, poliſhed, with painted Inſcription and glaſs lining							1	1	0
	„ „ in Zinc, ditto ditto . .							0	10	6
10	Sprinkler, Ebony handle and Braſs ball, containing Sponge							0	8	6
	„ ſmaller, all plated metal „							0	18	6
11	„ Ebony handle							0	5	6
	„ „ „ with Braſs Croſs . .							0	7	0
12	„ „ „							0	6	6
	„ Handle, part Ebony part Braſs . .							0	10	6
	„ „ all plated metal . . .							1	4	0
13	„ all Ivory							0	4	0
14	Baptiſmal Shell, Mother of Pearl, Silver handle .							1	7	0
	„ „ „ plated metal „ .							0	15	6

Plan
1
2
3
4
5
6
7
8
9
10
11
12
13
14
Scale 2in

CRUETS, &c.

AND FLOWER VASES.

No.			£.	s.	d.
1	Cruets in Silver . .	per pair	14	0	0
2	„ „ . .	„	16	0	0
3	Glaſs Cruet with plated mounts .	„	4	10	0
	„ „ „ gilt „ .	„	6	0	0
	„ „ „ ſilver „ .	„	8	10	0
	„ „ „ plated „ ſimpler	„	3	10	0
	„ „ „ „ and parcel gilt mounts ſimpler .	„	4	0	0
	„ „ „ ſilver mounts „	„	7	10	0
4	„ „ „ plated „	„	2	10	0
5	„ „ . .	„	0	6	6
	„ „ better cut . .	„	0	12	0
6	„ „ . .	„	0	9	0
	„ „ larger and better . .	„	0	16	0
	„ „ „ ruby bottles	„	1	16	0
7	Cruet Stand in plated metal .		0	18	0
8	„ „ „ . .		1	2	0
	„ „ „ better engraved .		1	12	0
	„ „ richly beaten, plated . .		3	0	0
	„ „ „ „ gilt .		5	0	0
	„ „ „ „ ſilver .		8	10	0
9	Lavabo in plated metal, plain .		0	12	0
	„ „ engraved .		1	1	0
	„ Silver beaten .		6	0	0

FLOWER VASES.

No.			PLAIN. £. s. d.	PAINTED. £. s. d.	RICHLY PAINTED. £. s. d.
1	$9\frac{3}{4}$	„		1 12 6	
no handles		„	0 13 6	1 1 0	
2	$5\frac{1}{4}$	„	3 12 0	4 4 0	
3	$5\frac{1}{2}$	„	2 12 0	3 15 0	
4	4	inch high	0 5 0	0 9 6	
	5	„	0 6 6	0 11 6	0 15 0
	6	„	0 8 0	0 13 0	0 17 0
	7	„	0 9 6	0 15 6	0 19 6
	8	„	0 11 0	0 17 6	1 1 6
	9	„	0 12 6	1 0 0	1 4 0
	10	„	0 17 6	1 5 0	1 10 0
	13	„	1 8 0	2 0 0	2 10 0
5	$8\frac{3}{4}$	„		1 12 6	
6	$5\frac{1}{2}$	„	0 9 6	0 15 6	0 18 6
7	$8\frac{3}{4}$	„	0 13 6	1 1 0	
8	6	„	0 12 6	0 18 0	1 3 0
	7	„	0 14 6	1 0 0	1 5 0
	8	„	0 18 6	1 4 0	1 8 0
	9	„	1 2 0	1 10 0	1 15 0
	10	„	1 5 0	1 15 0	2 2 0
	12	„	1 12 0	2 5 0	2 15 0

Plated Vaſes about double the above prices; but where the Braſs ones are painted, the plated ones would be engraved.


1
2
9
3
4
7
8
5
2
1
3
6
4
5
6
7
8
Scale 3 inches

SCREENS, GATES, RAILINGS, &c.

IN WROUGHT IRON

		£	s.	d.	
1.	Tomb Railing, 2 feet to top of outer ſtandard . . .	0	15	0	per ft run
2.	Ridge Creſting, 1ft. 6in. high, with finials 3ft. high . .	0	15	0	„
3.	Ditto ditto, 1ft. 6in. high .	0	16	0	„
	Vanes for above extra, 3ft. 3in. high .	1	5	0	each
4.	Tomb Railing, 4ft. 3in. high to top of outer ſtandard . .	2	0	0	per ft. run
5.	Chancel Screen and Gates, 10ft. high, 6ft. 6in. wide, either deſign .	55	0	0	
6.	Tomb Railing, 4ft. 3in. high, to top of outer ſtandard . .	2	0	0	per ft. run
7.	Pair of Chancel Gates, 4ft. high, and 4ft. 6in. wide . .	20	0	0	
8.	Tomb Railing, 4ft. 6in. high to top of outer ſtandard . .	1	14	0	per ft. run
9.	Ditto 2ft. 9in. „ „ .	1	14	0	„
10.	Ditto 2ft. 6in. „ „ .	1	2	0	„
11.	Ditto 2ft. 6in. „ „ .	1	18	0	„
12.	Ditto 2ft. 6in. „ „ .	1	12	0	„

Deſigns Nos. 4, 6, 8, 10 and 11 may be uſed alſo for Encloſure Railings; and Deſigns Nos. 9 and 12 may be uſed for Communion Railings, for which ſpecial prices will be given on application.

Theſe prices are all calculated for the work to be finiſhed with one coat of priming only. The coſt of Decorating and Gilding will be extra, and given if required.

Galvanizing will be charged extra at 14s. per cwt.

JOHN HARDMAN & CO. NEW MALL MILL, BIRMINGHAM.



LONDON OFFICES. 13, KING WILLIAM ST. STRAND. W.C.

SCREENS, GATES, RAILINGS, &c.

IN WROUGHT IRON.

		£.	s.	d.	
13.	Chancel Railing and Gates.				
	Railing, 2ft. 2in. high .	1	2	0	per ft. run
	Gates, 4ft 3in. high, 3ft. 9in. wide	18	10	0	per pair
14.	Chancel Railing and Gates.				
	Railing, 2ft. 4in. high . .	2	2	0	per ft. run
	Gates, 4ft. 3in high, 3ft. 9in. wide	20	0	0	per pair
15.	Chancel Railing, 4ft. 9in. high .	1	6	0	per ft. run
16.	Grille, 4ft. 9in. high, 2ft. 3in. wide .	25	0	0	
17.	Chancel Railing, 5ft. high to top of outer ſtandard . .	2	8	0	per ft. run
18	Chancel Railing, 3ft. 6in. high .	6	0	0	per ft run
19.	Ridge Creſting, 2ft. high . .	0	18	0	„
20.	Communion Railing, 3ft high, including Gates and Braſs Rail at top .	7	0	0	„
21.	Tomb Railing, 1ft 9in. high to top of outer ſtandard .	1	0	0	„
22.	Ditto 1ft. 6in. high . .	1	4	0	„
23	Ditto 2ft. high to top of outer ſtandard .	1	4	0	„

Deſigns Nos. 15 and 17 may alſo be uſed for Encloſure Railings or Porch Gates; and Deſigns Nos. 21, 22, and 23 may be uſed for Dwarf Wall Railings.

Theſe prices are all calculated for the work to have one coat of priming only, but the coſt of Decorating and Gilding will be given if required.

Galvanizing will be charged extra at 14s. per cwt.

JOHN HARDMAN & CO. NEW MALL MILL, BIRMINGHAM.



LONDON OFFICES, 13, KING WILLIAM ST. STRAND. W.C.

SCREENS, GATES, RAILINGS, &c.

IN WROUGHT IRON.

	£.	s.	d.	
24. Tomb Railing, 2ft. 3in. high .	1	1	0	per ft. run
25. Chancel Railing and Gates, 3ft. 6in. high, 5 ft. wide . .	25	0	0	
26. Tomb Railing, 2ft. 9in. high to top of outer ſtandard . .	1	1	0	,,
27. Communion Railing, 2ft. 3in high, with wood moulded Rail, including Gates	2	15	0	,,
28. Chancel Screen or Parcloſe. 8ft. 3in. high to top of outer ſtandard .	10	0	0	,,
29. Communion Railing, 2ft. 3in. high, with wood moulded Rail, including Gates	2	15	0	,,
30 Park Railing, 2ft. high to top of panels	2	10	0	,,
31. Chancel Screen, 5ft. 6in. high to top of outer ſtandard . .	4	10	0	,,
32. Communion Rail Standards,				
Single Spandrel, 2ft. 3in. high	1	15	0	each
Double ditto ditto .	2	10	0	,,
33. Tomb Rail Standards, 2ft. 9in. high .	2	5	0	,,
34. Ditto ditto ditto .	2	5	0	,,
35. Communion Rail Standards,				
Single Spandrel, 2ft. 3in. high	2	0	0	,,
Double ditto ditto .	2	18	0	,,

Designs Nos. 24 and 26 may be alſo uſed for Encloſure Railings.

Theſe prices are all calculated for the work to have one coat of priming only, but the coſt of Decorating and Gilding will be given if required.

Galvanizing will be charged extra at 14s. per cwt.


24
25
26
27
28
29
30
31
Stone.
32
33
34
35
Scale 1½ inch

LECTERNS AND BOOK DESKS.

		£.	s.	d.
A.	Book Desk in Brass . . . 14in. by 11in.	5	5	0
	„ „ richly pierced, on frame with rack 14¾in. by 11½in.	7	0	0
	„ „ „ „ 18½in. by 15½in.	10	0	0
B.	„ „ . . . . 14in. by 11in.	5	0	0
C.	„ „ . . . . 11in. by 9in.	2	0	0
1	Eagle Lectern in Brass, twisted pillar, ornamental cap, on 3 Lions	80	0	0
	„ „ „ without Lions	65	0	0
	„ „ with plain cap and pillar	60	0	0
	„ „ partly Iron, painted	50	0	0
	„ „ with larger bird of more massive proportions, on 3 lions	130	0	0
	„ „ „ „ no lions	115	0	0
	„ „ „ „ plainer	105	0	0
	„ „ with larger and handsomer Eagle, very massive stand	250	0	0
2	Lectern, in Brass	20	0	0
3	„ „ . . . . . ,	21	0	0
	„ „ simpler, no branches . . .	15	0	0
	„ „ „ „ . . .	10	0	0

The Eagle can be had as an alternative design, with the head raised.

A
1
B
2
3
C

LECTERNS AND BOOK DESKS.

		£.	s.	d.
H.	Book Desk, in Brass, 11in. by 9in. . . .	2	0	0
I.	„ richly carved in Oak, 15½in by 12in. .	5	0	0
	„ „ „ with velvet pad .	6	0	0
	„ of simpler design	3	10	0
K.	„ in Brass 12in. by 11in. . . . ,	4	0	0
	„ with Oak stand and a rack . . .	4	10	0
L.	Wood Desk with Iron stand, painted, 11in. by 8in.	2	2	0
	„ Brass stand	2	15	0
12	Pulpit Desk, in Brass, 14in. by 11in. . . .	3	5	0
	„ „ as K	4	0	0
7	Lectern, Brass desk and rod, Iron stand . .	9	0	0
8	„ in Carved Oak	25	0	0
	„ „ simpler	15	0	0
9	„ in Wrought Iron, Oak desk . . .	7	0	0
10	„ in Carved oak	12	0	0
11	Folding Lectern, in Wrought Iron, with Leather book rest	7	10	0


Scale 1 inch

LECTERNS AND BOOK DESKS.

		£.	s.	d.
H.	Book Deſk, in Braſs, 11in. by 9in. . . .	2	0	0
I.	„ richly carved in Oak, 15⅓in by 12in. .	5	0	0
	„ „ „ with velvet pad .	6	0	0
	„ of ſimpler design	3	10	0
K.	„ in Braſs. 12in. by 11in. . . .	4	0	0
	„ with Oak ſtand and a rack . . .	4	10	0
L.	Wood Deſk with Iron stand, painted, 11in. by 8in.	2	2	0
	„ Braſs ſtand	2	15	0
12	Pulpit Deſk, in Braſs, 14in. by 11in. . . .	3	5	0
	„ „ as K	4	0	0
7	Lectern, Braſs deſk and rod, Iron stand . .	9	0	0
8	„ in Carved Oak	25	0	0
	„ „ ſimpler	15	0	0
9	„ in Wrought Iron, Oak desk . . .	7	0	0
10	„ in Carved oak	12	0	0
11	Folding Lectern, in Wrought Iron, with Leather book rest	7	10	0


H
7
9
12
1
10
8
11
K

BRASS BELL PULLS,
CURTAIN RODS AND BRACKETS, &c.

No.		£.	s.	d.
1	Bell Pull	0	15	6
2	„ Lever	0	12	6
3	„ Pull	0	10	6
4	„ „	1	5	0
5	„ Lever	0	17	6
6	„ Pull	1	15	0
7	„ „	0	6	6
8	„ „	1	15	0
9	Curtain Rod Brackets . . per pair	1	15	0
	„ „ Ends, 1¼in. 20s. 1½in. 25s. 2in. 35s. „			
10	„ „ Brackets with painted Shields, „	2	12	0
	„ „ Ends, 1¼in. 8s. 1½in. 11s. 2in. 16s. „			
11	„ „ Bracket . . „	0	12	0
12	„ „ „ . . „	0	14	0
13	„ „ „ . . „	1	10	0
14	„ „ „ with painted Shields „	3	0	0
15	„ „ Ends, 1¼in. 20s. 1½in. 25s. 2in. 35s. per pair			
16	„ „ „ „ 12s. „ 17s. „ 24s. „			
17	„ „ „ „ 13s. „ 18s. „ 26s. „			
18	„ „ „ „ 18s. „ 23s. „ 32s. „			
	Curtain Rods, per ft. run, 1¼in. 1/6 1½in. 2/ 2in. 3/			
	„ Rings, plain, 1½in. 1/9 1¾in. 2/3 2¼in. 3/ per doz.			
	„ „ with roses or fleur-de-lys, 1½in. 3/ 1¾in. 3/6 . 2¼in. 4/6 per doz.			
19	Picture Rod Hooks . . per doz.	2	2	0
	„ „ polished, per ft. run, ¾in. 7d. 1in. 9d.			
20	Tassel Hooks . . . per pair	0	12	0
21	Bar Handle . . .	0	10	0
22	„ „ . . .	1	12	0
23	Hot Air Grating . per foot run from	0	15	0


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
Scale 2 inches

BRASS DOOR FURNITURE.

No.		£.	s.	d.
1	Butt Hinge, engraved, 15 in. by 2½in. .	2	10	0
	Blade only	1	5	0
2	Butt Hinge, 13in. by 2in. . .	1	15	0
	Blade only	1	5	0
3	Lock plate	0	15	0
4	" „	1	10	0
5	„ and Finger-plate, including Rim Lock .	0	7	0
6	„ plate	0	16	0
7	„ and Finger-plate . . .	2	0	0
8	„ „ „ . . .	1	10	0
9	Finger-plates 16in. by 2¼in. each	0	15	6
10	„ „ 16in. „ 2¼in. „	0	11	6
11	„ „ 16in. „ 2¼in. „	0	13	6
12	„ „ 16½in. „ 2¾in. „	0	18	6
13	Door Knob, 1¾in. 5/6 2¼in. 7/			
14	„ „ 2¼in. 6/6 2¾in. 8/			
	Shutter „ 1¼in. 3/			
15	Door „ 2in. 5/			
16	Shutter „ 1in. 2/			
17	Door „ 2¼in. 4/6			
18	„ „ 2¼in. 6 6 2¾in. 8/			
16	„ „ 2¼in. 4/			
20	Crank Handle (part Ebony) and plate . .	0	16	0
21	Door Knob, external, 3½in. .	1	4	0
22	Rose for Door Knob 7½in. .	0	8	0
23	„ „ 4in. .	0	4	0
	„ „ if with Cord 4in. .	0	4	6
24	„ „ 3in. 3/6 4in. .	0	4	6
25	„ „ 3in. 2/ 4in. .	0	3	0
26	„ „ 3in. 3/6 4in. .	0	4	6
27	„ „ 3in. 3/6 4in. .	0	4	6
28	„ „ 3in. 3/6 4in. .	0	4	6


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
Scale 2in to the foot

IRON DOOR FITTINGS, &c.

No.		12in.	18in.	2ft.	3ft.	4ft.
1	Bolt, in wrought iron, blacked	15/	22/6	30/	45/	56/
2	„ „ „	12/	18/	24/	36/	48/
	„ „ plainer	9/	13/6	18/	27/	36/
3	„ „ „	6in. 10/	9in.	14/	12in.	18/

		£.	s.	d.
4	Grille, 6in. ſquare . . .	1	5	0
5	„ „ . . .	0	18	6
6	Knocker, 9 inches . . .	1	5	0
7	„ 11 „ . . .	1	1	0
8	„ 12 „ , , .	1	10	0
9	Letter-plate in Braſs, 8 inches . .	0	10	6

STUD NAILS IN MALLEABLE IRON.

		½in.	¾in.	⅞in.	1in.	1¼in.	1½in.
10	Price per dozen	1/3	1/6	1/9	2/6	4/6	6/6
11	„ „	1/3	1/6	1/9	2/6	4/6	6/6
12	„ „	3in. long 15/			4in. long		18/
13	„ „	1/	1/3	1/6	2/3	4/	6/

14	Umbrella Stand in wrought iron, painted .	3	15	0
15, 16, & 17	Special Eſtimates will be given for theſe according to quantity required.			
18	Hat and Coat Hook in Braſs . each	0	5	6
	„ „ Iron Galvanised per doz.	0	15	0
19	Coat Hook in Braſs . each	0	5	6
	„ „ Iron Galvanised . per doz.	0	15	0
20	Braſs Door-plate, ſet on wood frame, from 40/			
21	Door Scraper, in Caſt Iron, Galvanised each	0	7	6
22	„ „ „ „ „ „	0	10	0
23	„ „ Wrt. „ „ „	0	9	6
24	„ „ Caſt „ „ „	0	8	0


1
2
3
4
5
6
7
8
9
LETTERS:
10
11
12
Stud nails 3m Scale
13
14
Plan xx
3/4 Scale
15
3/4 Scale
16
17
18
19
KING & SON
ARCHITECTS
20
21
Scrapers 1m Scale
22
23
24
These not marked 2m Scale

SLEAP AND SCROLL LINGETS.

STRAP AND SCROLL HINGES.

							In Malleable Iron, Fronts only.			In Wrought Iron, with Knuckle & Hook		
							£.	s.	d.	£.	s.	d.
1	36	inches	by	36	inches	per pair	3	6	0	12	0	0
	24	„	„	24	„	„	2	15	0	10	0	0
2	36	„	„	32	„	„	2	12	0	10	0	0
	24	„	„	21	„	„	2	5	0	8	10	0
3	36	„	„	27	„	„	2	12	0	10	0	0
	24	„	„	18	„	„	2	5	0	8	10	0
4	36	„	„	30	„	„	2	5	0	9	0	0
	24	„	„	20	„	„	2	0	0	7	10	0
5	33	„	„	30	„	„	2	5	0	9	0	0
	22	„	„	20	„	„	2	0	0	7	10	0
6	36	„	„	27	„	„	2	10	0	9	10	0
	24	„	„	18	„	„	2	4	0	8	0	0

The prices given above are for Hinges finiſhed in Berlin Black, and include the Screws, &c. neceſſary for fixing.

Single or double ſet return ſtraps to clip the door can be made to any of the Hinges if required, for which an extra charge will be made.


1
2
3
4
5
6
Scale 1 inch and ½

STRAP AND SCROLL HINGES.

No.						In Malleable Iron, Fronts only. £.	s.	d.	In Wrought Iron, with Knuckle & Hook. £.	s.	d.
7	36 inch	by	32 inch	per pair		2	10	0	9	0	0
	24 „	„	21 „	„		2	4	0	7	10	0
8	36 „		.	„		1	5	0	5	0	0
	24 „		.	„		1	2	0	4	5	0
9	36 „	„	30 „	„		2	0	0	7	0	0
	24 „	„	20 „	„		1	15	0	6	0	0
10	36 „		.	„		1	4	0	3	5	0
	24 „		.	„		1	1	6	2	15	0
11	21 „		.	„		0	14	0	1	16	0
	14 „		.	„		0	12	0	1	10	0
12	18 „		.	„		0	8	0	1	5	0
	12 „		.	„		0	7	0	1	2	0
13	24 „		.	„		0	14	0	2	10	0
	16 „		.	„		0	12	0	2	4	0
14	24 „		.	„		0	16	0	2	5	0
	16 „		.	„		0	13	6	2	0	0
15	36 „		.	„		1	0	0	3	10	0
	24 „		.	„		0	17	6	3	0	0
16	27 „		.	„		0	14	0	1	15	0
	18 „		.	„		0	12	0	1	12	0
17	24 „		.	„		0	12	0	1	10	0
	16 „		.	„		0	10	6	1	7	0
18	24 „	„	16 „	„		1	5	0	3	10	0
	16 „	„	12 „	„		1	2	0	3	0	0
19	27 „	„	15 „	„		1	8	0	5	10	0
	18 „	„	10 „	„		1	4	6	5	0	0
20	24 „	„	20 „	„		1	4	0	5	0	0
	16 „	„	14 „	„		1	1	6	4	10	0

STRAP AND SCROLL HINGES,

CONTINUED.

No.			In Malleable Iron, Fronts only. £. s. d.	In Wrought Iron, with Knuckle & Hook. £. s. d.
21	39 inch	per pair	1 8 0	5 10 0
	26 „	„	1 4 0	4 10 0
22	27 „	„	0 18 0	3 0 0
	18 „	„	0 16 0	2 14 0
23	33 „	„	1 8 0	4 15 0
	21 „	„	1 4 6	4 5 0
24	24 „	„	0 12 0	1 12 0
	18 „	„	0 10 6	1 8 0

The above prices are given for the Hinges finished in Berlin Black and include the Screws, &c. neceſſary for fixing.

Single or double ſet return ſtraps to clip the door can be made, if required, to any of the Hinges, for which an extra charge will be made.



Scale 1" and 1½

FIRE GRATES AND DOGS.

No.		£.	s.	d.
1	Dogs, in Iron with Braſs Finial . per pair	5	0	0
	„ „ „ and centre „ .	7	10	0
	„ „ head all Braſs „ .	12	0	0
2	„ „ or in Iron & Braſs, with ſpecial creſt, from, per pair	12	0	0
3	„ „ with Braſs Roſe, Crockets, and Finial, per pair	12	0	0
4	„ „ . . . „ .	4	0	0
	„ „ with Braſs top . „ .	12	0	0
5	„ „ with poliſhed ſteel balls „ .	10	10	0
6	„ Braſs . . „ .	10	0	0
7	„ Iron . . „ .	3	0	0
	„ Braſs . . „ .	12	0	0
8	„ Iron, with poliſhed ſteel ball „ .	8	10	0
9	„ „ . . „ .	4	0	0
	„ Braſs . . „ .	15	0	0
10	„ Iron, with braſs ſhield . „ .	15	0	0
	„ „ „ „ Lions, ſhield and finial „ .	35	0	0
	„ all Braſs . . „ .	50	0	0
11	„ Iron . . „ .	5	0	0
	„ „ with braſs finial and centre „ .	8	0	0
12	„ „ with poliſhed ſteel ball „ ,	10	10	0
13	Grate, with wrought iron bars . „ .	7	10	0
14	„ in „ „ . „ .	4	0	0
15	„ with „ „ bars . „ .	10	10	0

Other deſigns for Grates and Dogs may be had on application.


1
2
13
3
4
5
14
6
7
8
9
15
10
11
12
Scale 1 inch

COMMUNION PLATES, &c.

COMMUNION RAILINGS, &c.

		£	s	d.
1	Communion Railing, including Gates, in polished Braſs, with Oak Hand-rail, as richer deſign, per foot run	6	6	0
	„ „ „ as ſimpler deſign	5	5	0

		SINGLE £	s.	d.	DOUBLE. £	s.	d.
2	Communion Rail Standard, in Caſt Iron, painted and gilt . .	1	0	0	1	4	0
3	„ „ „ „ . .	1	0	0	1	5	0
4	„ „ in Iron, painted & gilt	1	7	6	1	15	0
5	„ „ in Caſt Iron „ „	1	10	0	2	0	0
6	„ „ in Poliſhed Braſs .	4	17	6	6	10	0
7	„ „ „ „ .	4	4	0	5	10	0
8	„ „ „ „ .	2	10	0	3	5	0
9	Communion Rail, in Wrought Iron, painted and gilt, with Braſs Hand-rail, per foot run . .				3	8	0
10	Communion Rail Standard, in poliſhed Braſs . . .	1	16	0			
	„ „ „ plain	1	10	0			
11	„ „ „ . .	2	5	0			

23 Braſs moulded Hand Rail, poliſhed and lacquered, per ft. 9/6

25 Hand-rail in poliſhed Braſs, 2in. 4/6, 2½in. 6/6, 3in. 8/6 per ft. run.

26 „ in Oak moulded, 4/9 per ft. run

If the Standards are required with Hinges a small extra charge will be made.

In ordering please ſtate whether the Standards are to fix to Wood or Stone.

1
2
3
4
5
6
7
8
23
25
26
3/4 Scale
10
11
9
Scale 3/4" to the foot

COMMUNION RAILINGS, &c.

		£ s. d.
12	Communion Rail, in Iron and poliſhed Braſs with Braſs Hand-rail . . per ft. run	2 10 0
13	„ „ „ „ „	2 0 0
14	„ „ Oak Hand-rail „	2 0 0
15	„ „ „ „	2 2 0

		SINGLE. £ s. d.	DOUBLE. £ s. d.
16	Communion Rail Standard, in Iron painted and gilt . . .	1 4 0	1 10 0
17	„ „ poliſhed Braſs	3 15 0	5 0 0
18	„ Iron painted and gilt	1 15 0	2 5 0
19	„ Rail, in Iron and poliſhed Braſs with Braſs Hand-rail, per ft. run		2 15 0
20	„ Rail, in poliſhed Braſs „		2 10 0

21 Braſs Tube Hand-rail, poliſhed, 2in. 4/, 2½in. 6/, 3in. 8/, per ft. run.

22 Moulded Hand-rail, in poliſhed Oak, 5/6 per ft. run.

If the Standards are required with Hinges, a ſmall extra charge will be made.

In ordering pleaſe state whether the Standards are to fix to Wood or Stone.

12

13

14

15

16



17



18



21

22

19

20



Scale 3/4" to the foot.